

# 12. [Java] ???(1): break vs continue

## 1. ?? ??

- <https://school.programmers.co.kr/learn/courses/30/lessons/120956>
  - ?????? (1)
  - ???? ???? ???? ???? ???? ???? ??
- 

## 2. ?? ??

```
import java.util.*;

class Solution {
    public int solution(String[] babbling) {
        String[] canSay = {"aya", "ye", "woo", "ma"};
        int count = 0;

        for (String word : babbling) {
            String temp = word;
            boolean isValid = true;

            for (String say : canSay) {
                // ???? ???? ???? ??
                if (temp.contains(say + say)) {
                    isValid = false;
                    break;
                }
            }

            if (!isValid) continue;

            count++;
        }

        return count;
    }
}
```

```

        // 00 00 00 00
        for (String say : canSay) {
            temp = temp.replace(say, " ");
        }

        // 00 000000 00 (0000 00 00 trim()00 00)
        if (temp.trim().isEmpty()) {
            count++;
        }
    }

    return count;
}
}

```

### 3. ?? ?? ????? ????? ??

```

if (temp.contains(say + say)) {
    isValid = false;
    break;
}

```

- 0 000 00 000 0 0 00 000 0000 0000 00 0000 .
- 000 "ayaaya"00 00 000 0 0 00 0000 000 0000 .
- 000 "ayaaya", "mama", "woowoo" 00 000 0000 0000 .
- 00 00 , say = "aya" 00 0 0 say + say 00 "ayaaya"00 .
- temp.contains("ayaaya") 00 temp 000 00 "ayaaya" 00 0000 0000 .

## 4. continue

- isValid 00 false 00 → 0 000 0000 00 0 00 00000 00 000 0 00 0000 00 , 00 000 000
- 000 000 continue 00 000 0000 00 0000 0000 0000 .

```

for (String word : babbling) {
    // 00 0000 000 0000 00

```

```
if (!isValid) continue;

// 00 00 000 000!
}
```

- `isValid` `true` , `isValid == false`
- `→ word`
- `→ replace`
- `→`   `word`  .

## 5. break

- break 语句：在循环中，遇到 break 语句，就退出该循环。
- continue 语句：在循环中，遇到 continue 语句，就结束本次循环，下一次再继续循环。

```
for (String say : canSay) {
    if (temp.contains(say + say)) {
        isValid = false;
        break; // 不再 for 循环!
    }
}
```

```

    break;
    canSay " " for " ".

```

0000 0000 0000 0000 → continue; 0000 → 0000 skip00 00 0000 0000 0000  
 0000 .

```
if (!isValid) continue;
```

## 6. continue VS break

```
for each word in babbling:
  for each say in canSay:
    if word contains say+say:
      isValid = false
      break ← 000 00 for 00 00
  if (!isValid) continue ← 0 00 00 00 word 00
```

- break : 1 2 3 4 5
- continue : 1 2 3 4 , 5 6 7 8

---

Revision #3

Created 13 June 2025 05:28:21 by Dain

Updated 13 June 2025 05:40:46 by Dain