

3. [Java] ??? ??? - numbers.replaceAll(a,b);

<https://school.programmers.co.kr/learn/courses/30/lessons/120894>

□□ □□

```
class Solution {
    public long solution(String numbers) {
        String[] words = {
            "zero", "one", "two", "three", "four", "five",
            "six", "seven", "eight", "nine"
        };
        for (int i = 0; i < words.length; i++) {
            numbers = numbers.replace(words[i], String.valueOf(i));
        }
        return Integer.parseInt(numbers);
    }
}
```

□□□ □□□□ □□ □□ □□ □□

[image.png](#)

[image.png](#)

? Integer.parseInt() ??? ???? ??

- □□ □□ □□□ int□ □□ □□□ □□ □□ □□□ .
- □□□ □□ □□ □□□□ □□ □ □
- □□ □□ , □□ 13□□ □□ □□□ int(32□□ □□)□ □□ 2,147,483,647□ □□
- → Integer.parseInt()□ □□ □ □ → □□ □□ (NumberFormatException) □□
- □□□ return □□□ int□ □□ long □□□ □□□ □□ .

□□□ □□

```

class Solution {
    public long solution(String numbers) {
        String[] words = {
            "zero", "one", "two", "three", "four", "five",
            "six", "seven", "eight", "nine"
        };
        for (int i = 0; i < words.length; i++) {
            numbers = numbers.replaceAll(words[i], String.valueOf(i));
        }
        return Long.parseLong(numbers); // int → long
    }
}

```

??? VS ??????

? ??? (Primitive type)

- int → `int` (primitive int)
- long → `long` (primitive long)

```

int i = 1;
long l = 1L;

```

? ??? (Reference type, Wrapper class)

- Integer → `Integer` (Wrapper class for int)
- Long → `Long` (Wrapper class for long)

```

Integer i = null;
ArrayList<Integer> list = new ArrayList<>();
list.add(1);
list.add(2);
list.add(3);

```

Revision #14

Created 16 May 2025 05:18:01 by Dain

Updated 23 May 2025 04:27:11 by Dain